

MAGNETON

electrical equipment for automotive industry

STARTER MOTOR

9122 170



TECHNICAL DATA

Nominal voltage
Rated output

12V
2,3kW

Pinion teeth number

13

APPLICATIONS

1. FORD

CROSS REFERENCES

Bosch
Delco Remy
Lucas
Valeo

0 986 020 181
DRS3535
LRS00976
455895

HC Parts
Hella

CS 977
8EA 737 150-001

Ford

97VB 11000 AA, AB
98VB 11000 B1A, B3A, B3B

03 / 2008

Applications of starter motor 9122 170

BRAND	PRODUCTION YEAR	ENGINE		
		kw	PS	ccm
FORD TRANSIT autobus (E_ _) 2.5 DI (EBL, ECL, EDS, EDL)	07.94 - 03.00	56	76	2496
FORD TRANSIT autobus (E_ _) 2.5 DI (EBL, EDL, EDS, ESL, ESS)	08.97 - 03.00	85	116	2496
FORD TRANSIT autobus (E_ _) 2.5 DI (EBL, EDS, ESL, ESS, EUS)	08.94 - 03.00	51	69	2496
FORD TRANSIT autobus (E_ _) 2.5 TD (EB_, ED_, ES_)	08.94 - 06.00	55	75	2496
FORD TRANSIT autobus (E_ _) 2.5 TD (EBL, EDL, EDS, EGL, ESL, ESS, EUS)	01.95 - 03.00	63	85	2496
FORD TRANSIT autobus (E_ _) 2.5 TD (ECL, EDL, EDS, ESL, ESS, EUS)	07.94 - 03.00	74	100	2496
FORD TRANSIT karoserie (E_ _) 2.5 DI (EAL, EAS)	06.94 - 03.00	51	69	2496
FORD TRANSIT karoserie (E_ _) 2.5 DI (EAL, EAS)	05.99 - 03.00	85	116	2496
FORD TRANSIT karoserie (E_ _) 2.5 DI (EAL, EAS)	06.94 - 03.00	56	76	2496
FORD TRANSIT karoserie (E_ _) 2.5 TD (EAL, EAS)	06.94 - 03.00	63	85	2496
FORD TRANSIT karoserie (E_ _) 2.5 TD (EAS)	10.98 - 03.00	55	75	2496
FORD TRANSIT karoserie (E_ _) 2.5 TDI (EAL, EAS)	06.94 - 03.00	74	101	2496
FORD TRANSIT valník/podvozek (E_ _) 2.5 DI (EME/L/S, ENE/L/S)	08.94 - 03.00	56	76	2496
FORD TRANSIT valník/podvozek (E_ _) 2.5 DI (EML, ENE/L)	05.99 - 03.00	85	116	2496
FORD TRANSIT valník/podvozek (E_ _) 2.5 DI (EML/S, ENL/S)	08.94 - 03.00	51	69	2496

Applications of starter motor 9122 170

BRAND	PRODUCTION YEAR	ENGINE		
		kW	PS	ccm
FORD TRANSIT valnik/podvozek (E_ _) TD (EME/L/S, ENE/L/S)	2.5 10.98	55	75	2496
FORD TRANSIT valnik/podvozek (E_ _) TD (EME/L/S, ENE/L/S)	2.5 08.94 - 03.00	74	101	2496
FORD TRANSIT valnik/podvozek (E_ _) TD (EME/L/S, ENE/L/S)	2.5 08.94 - 03.00	63	85	2496